






## The Full Spectrum Protocol - Trial 1 Results

### Summary of Findings: Full Spectrum Protocol Trial 1 (April–June 2025, South Africa)

This 3-month observational, anecdotal trial was the first in a series of three, aimed at evaluating the impact of the Full Spectrum Protocol — a combination of three Beyond Medicine remedies: Presence, Victory over Thought, and Cloud 9. Designed for both adults and children, the protocol was assessed for its support in emotional, mental, and behavioural wellbeing. Eleven participants completed the end-of-trial survey, which measured perceived improvement across key criteria on a 0–10 scale. No side effects were reported during the trial.

			AVERAGE																								
1	<p><b>Improvement in Communication Skills</b></p> <p>Participants were asked to rate the change in communication abilities observed over the course of the trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 53%</p>	<table><caption>Data for Chart 1: Improvement in Communication Skills</caption><thead><tr><th>Participant</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>30</td></tr><tr><td>2</td><td>40</td></tr><tr><td>3</td><td>40</td></tr><tr><td>4</td><td>40</td></tr><tr><td>5</td><td>40</td></tr><tr><td>6</td><td>60</td></tr><tr><td>7</td><td>60</td></tr><tr><td>8</td><td>60</td></tr><tr><td>9</td><td>70</td></tr><tr><td>10</td><td>70</td></tr><tr><td>11</td><td>70</td></tr></tbody></table>	Participant	Improvement (%)	1	30	2	40	3	40	4	40	5	40	6	60	7	60	8	60	9	70	10	70	11	70	53%
Participant	Improvement (%)																										
1	30																										
2	40																										
3	40																										
4	40																										
5	40																										
6	60																										
7	60																										
8	60																										
9	70																										
10	70																										
11	70																										
2	<p><b>Ability to Express Needs and Feelings</b></p> <p>Participants rated how well they or their child were able to express needs or emotions following the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 58%</p>	<table><caption>Data for Chart 2: Ability to Express Needs and Feelings</caption><thead><tr><th>Participant</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>40</td></tr><tr><td>2</td><td>50</td></tr><tr><td>3</td><td>50</td></tr><tr><td>4</td><td>50</td></tr><tr><td>5</td><td>50</td></tr><tr><td>6</td><td>60</td></tr><tr><td>7</td><td>60</td></tr><tr><td>8</td><td>70</td></tr><tr><td>9</td><td>70</td></tr><tr><td>10</td><td>70</td></tr><tr><td>11</td><td>70</td></tr></tbody></table>	Participant	Improvement (%)	1	40	2	50	3	50	4	50	5	50	6	60	7	60	8	70	9	70	10	70	11	70	58%
Participant	Improvement (%)																										
1	40																										
2	50																										
3	50																										
4	50																										
5	50																										
6	60																										
7	60																										
8	70																										
9	70																										
10	70																										
11	70																										
3	<p><b>Social Interaction with Family and Friends</b></p> <p>Participants rated the change in social engagement and connection with family and peers over the course of the trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 60%</p>	<table><caption>Data for Chart 3: Social Interaction with Family and Friends</caption><thead><tr><th>Participant</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>40</td></tr><tr><td>2</td><td>40</td></tr><tr><td>3</td><td>50</td></tr><tr><td>4</td><td>50</td></tr><tr><td>5</td><td>60</td></tr><tr><td>6</td><td>60</td></tr><tr><td>7</td><td>70</td></tr><tr><td>8</td><td>60</td></tr><tr><td>9</td><td>70</td></tr><tr><td>10</td><td>70</td></tr><tr><td>11</td><td>90</td></tr></tbody></table>	Participant	Improvement (%)	1	40	2	40	3	50	4	50	5	60	6	60	7	70	8	60	9	70	10	70	11	90	60%
Participant	Improvement (%)																										
1	40																										
2	40																										
3	50																										
4	50																										
5	60																										
6	60																										
7	70																										
8	60																										
9	70																										
10	70																										
11	90																										
4	<p><b>Social Interaction in Broader Settings</b></p> <p>Participants assessed changes in social interaction beyond the home — including at school, with peers, or strangers — compared to before the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 53%</p>	<table><caption>Data for Chart 4: Social Interaction in Broader Settings</caption><thead><tr><th>Participant</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>20</td></tr><tr><td>2</td><td>40</td></tr><tr><td>3</td><td>40</td></tr><tr><td>4</td><td>50</td></tr><tr><td>5</td><td>50</td></tr><tr><td>6</td><td>50</td></tr><tr><td>7</td><td>60</td></tr><tr><td>8</td><td>60</td></tr><tr><td>9</td><td>60</td></tr><tr><td>10</td><td>60</td></tr><tr><td>11</td><td>90</td></tr></tbody></table>	Participant	Improvement (%)	1	20	2	40	3	40	4	50	5	50	6	50	7	60	8	60	9	60	10	60	11	90	53%
Participant	Improvement (%)																										
1	20																										
2	40																										
3	40																										
4	50																										
5	50																										
6	50																										
7	60																										
8	60																										
9	60																										
10	60																										
11	90																										
5	<p><b>Emotional Regulation</b></p> <p>Participants rated the change in their or their child's ability to manage and regulate emotions following the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 60%</p>	<table><caption>Data for Chart 5: Emotional Regulation</caption><thead><tr><th>Participant</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>30</td></tr><tr><td>2</td><td>30</td></tr><tr><td>3</td><td>40</td></tr><tr><td>4</td><td>60</td></tr><tr><td>5</td><td>70</td></tr><tr><td>6</td><td>70</td></tr><tr><td>7</td><td>70</td></tr><tr><td>8</td><td>70</td></tr><tr><td>9</td><td>70</td></tr><tr><td>10</td><td>70</td></tr><tr><td>11</td><td>70</td></tr></tbody></table>	Participant	Improvement (%)	1	30	2	30	3	40	4	60	5	70	6	70	7	70	8	70	9	70	10	70	11	70	60%
Participant	Improvement (%)																										
1	30																										
2	30																										
3	40																										
4	60																										
5	70																										
6	70																										
7	70																										
8	70																										
9	70																										
10	70																										
11	70																										

6	<p><b>Daily Living Skills and Independence</b></p> <p>Participants rated the change in daily functioning and independence — including tasks such as self-care, routines, and basic responsibilities — after completing the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 55%</p>	<p>6</p> <table><thead><tr><th>Category</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>30</td></tr><tr><td>2</td><td>30</td></tr><tr><td>3</td><td>50</td></tr><tr><td>4</td><td>50</td></tr><tr><td>5</td><td>50</td></tr><tr><td>6</td><td>60</td></tr><tr><td>7</td><td>60</td></tr><tr><td>8</td><td>60</td></tr><tr><td>9</td><td>70</td></tr><tr><td>10</td><td>70</td></tr><tr><td>11</td><td>70</td></tr></tbody></table>	Category	Improvement (%)	1	30	2	30	3	50	4	50	5	50	6	60	7	60	8	60	9	70	10	70	11	70	55%
Category	Improvement (%)																										
1	30																										
2	30																										
3	50																										
4	50																										
5	50																										
6	60																										
7	60																										
8	60																										
9	70																										
10	70																										
11	70																										
7	<p><b>Independence in Daily Tasks</b></p> <p>Participants assessed how independent their child or themselves are now in daily tasks such as dressing, eating, and toileting, compared to before the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 57%</p>	<p>7</p> <table><thead><tr><th>Category</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>10</td></tr><tr><td>2</td><td>30</td></tr><tr><td>3</td><td>30</td></tr><tr><td>4</td><td>40</td></tr><tr><td>5</td><td>40</td></tr><tr><td>6</td><td>70</td></tr><tr><td>7</td><td>70</td></tr><tr><td>8</td><td>70</td></tr><tr><td>9</td><td>80</td></tr><tr><td>10</td><td>80</td></tr><tr><td>11</td><td>100</td></tr></tbody></table>	Category	Improvement (%)	1	10	2	30	3	30	4	40	5	40	6	70	7	70	8	70	9	80	10	80	11	100	57%
Category	Improvement (%)																										
1	10																										
2	30																										
3	30																										
4	40																										
5	40																										
6	70																										
7	70																										
8	70																										
9	80																										
10	80																										
11	100																										
8	<p><b>Sensory and Physical Behaviours</b></p> <p>Participants rated the change in sensory responses and physical behaviours observed after the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 56%</p>	<p>8</p> <table><thead><tr><th>Category</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>40</td></tr><tr><td>2</td><td>40</td></tr><tr><td>3</td><td>50</td></tr><tr><td>4</td><td>50</td></tr><tr><td>5</td><td>50</td></tr><tr><td>6</td><td>60</td></tr><tr><td>7</td><td>60</td></tr><tr><td>8</td><td>60</td></tr><tr><td>9</td><td>60</td></tr><tr><td>10</td><td>70</td></tr><tr><td>11</td><td>70</td></tr></tbody></table>	Category	Improvement (%)	1	40	2	40	3	50	4	50	5	50	6	60	7	60	8	60	9	60	10	70	11	70	56%
Category	Improvement (%)																										
1	40																										
2	40																										
3	50																										
4	50																										
5	50																										
6	60																										
7	60																										
8	60																										
9	60																										
10	70																										
11	70																										
9	<p><b>Response to Changes in Routine or Environment</b></p> <p>Participants evaluated how their child or themselves now respond to changes in routine or environment following the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 61%</p>	<p>9</p> <table><thead><tr><th>Category</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>10</td></tr><tr><td>2</td><td>50</td></tr><tr><td>3</td><td>50</td></tr><tr><td>4</td><td>60</td></tr><tr><td>5</td><td>60</td></tr><tr><td>6</td><td>70</td></tr><tr><td>7</td><td>70</td></tr><tr><td>8</td><td>70</td></tr><tr><td>9</td><td>70</td></tr><tr><td>10</td><td>80</td></tr><tr><td>11</td><td>80</td></tr></tbody></table>	Category	Improvement (%)	1	10	2	50	3	50	4	60	5	60	6	70	7	70	8	70	9	70	10	80	11	80	61%
Category	Improvement (%)																										
1	10																										
2	50																										
3	50																										
4	60																										
5	60																										
6	70																										
7	70																										
8	70																										
9	70																										
10	80																										
11	80																										
10	<p><b>Impact on Parent and Family</b></p> <p>Participants rated the change in the effect their child's behaviour or condition has had on parent and family wellbeing over the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 58%</p>	<p>10</p> <table><thead><tr><th>Category</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>10</td></tr><tr><td>2</td><td>30</td></tr><tr><td>3</td><td>50</td></tr><tr><td>4</td><td>50</td></tr><tr><td>5</td><td>60</td></tr><tr><td>6</td><td>60</td></tr><tr><td>7</td><td>60</td></tr><tr><td>8</td><td>70</td></tr><tr><td>9</td><td>70</td></tr><tr><td>10</td><td>90</td></tr><tr><td>11</td><td>90</td></tr></tbody></table>	Category	Improvement (%)	1	10	2	30	3	50	4	50	5	60	6	60	7	60	8	70	9	70	10	90	11	90	58%
Category	Improvement (%)																										
1	10																										
2	30																										
3	50																										
4	50																										
5	60																										
6	60																										
7	60																										
8	70																										
9	70																										
10	90																										
11	90																										
11	<p><b>Overall Impact of Autism on Daily Family Life</b></p> <p>Participants estimated the percentage improvement in how their child's autism affects daily family life after completing the 3-month trial.</p> <p><input checked="" type="checkbox"/> Average reported improvement: 55%</p>	<p>11</p> <table><thead><tr><th>Category</th><th>Improvement (%)</th></tr></thead><tbody><tr><td>1</td><td>30</td></tr><tr><td>2</td><td>40</td></tr><tr><td>3</td><td>40</td></tr><tr><td>4</td><td>50</td></tr><tr><td>5</td><td>50</td></tr><tr><td>6</td><td>50</td></tr><tr><td>7</td><td>60</td></tr><tr><td>8</td><td>70</td></tr><tr><td>9</td><td>70</td></tr><tr><td>10</td><td>70</td></tr><tr><td>11</td><td>70</td></tr></tbody></table>	Category	Improvement (%)	1	30	2	40	3	40	4	50	5	50	6	50	7	60	8	70	9	70	10	70	11	70	55%
Category	Improvement (%)																										
1	30																										
2	40																										
3	40																										
4	50																										
5	50																										
6	50																										
7	60																										
8	70																										
9	70																										
10	70																										
11	70																										
			<div>Slightly less frequently</div> <div>Noticeably less frequently</div> <div>Rarely occurs now</div>																								

12	<b>Frequency of Meltdowns or Emotional Outbursts</b> Participants reported how often their child or themselves experience meltdowns or emotional outbursts now, compared to before the 3-month trial. Findings: 60% reported experiencing meltdowns <b>slightly</b> less frequently. 30% reported <b>noticeably</b> less frequent episodes. 10% were unsure	 <p>12</p> <p>■ Slightly less Frequently ■ Noticeably less frequently ■ Rarely occurs now</p>	60%	30%	10%
			Yes	No	Unsure
13	<b>Likelihood of Continuing the Protocol</b> Participants indicated whether they are likely to continue using the Full Spectrum Protocol after the 3-month trial. Findings: 71% answered Yes 18% answered No 11% were Unsure	 <p>13</p> <p>■ Yes ■ No ■ Unsure</p>	71%	18%	11%
			Yes	No	Unsure
14	<b>Recommendation of the Protocol</b> Participants were asked if they would recommend the Full Spectrum Protocol to friends and family. Findings: 100% responded Yes	 <p>14</p> <p>■ Yes ■ No ■ Unsure</p>	100%	0%	0%